

Package: ThermalSampleR (via r-universe)

September 5, 2024

Type Package

Title Calculate Sample Sizes Required for Critical Thermal Limits Experiments

Version 0.1.0

Maintainer Clarke JM van Steenderen <vsteenderen@gmail.com>

Description We present a range of simulations to aid researchers in determining appropriate sample sizes when performing critical thermal limits studies (e.g. CTmin/CTmin experiments). A number of wrapper functions are provided for plotting and summarising outputs from these simulations. These simulations are presented in Owen, C., Sutton, G., Martin, G., van Steenderen, C., and Coetzee, J. Sample size determination for critical thermal limits studies. 2022. Physiological Entomology. Under review. The GUI version of this package is available on the R Shiny online server at:

<https://clarkevansteenderen.shinyapps.io/ThermalSampleR_Shiny/>

, or it is accessible via GitHub at

<https://github.com/clarkevansteenderen/ThermalSampleR_Shiny/>.

We would like to thank Grant Duffy (University of Otago, Dundedin, New Zealand) for granting us permission to use the source code for the Test of Total Equivalency function.

License GPL-3

Encoding UTF-8

LazyData true

Depends R (>= 2.10)

Imports tidy, dplyr, purrr, rlang, MASS (>= 7.3), stats (>= 3.4.0), graphics (>= 3.4.0), base (>= 3.4.0), magrittr, utils, ggplot2, cowplot, EnvStats, sn, janitor, testthat

RoxygenNote 7.1.2

Suggests rmarkdown, knitr

VignetteBuilder knitr

Repository <https://clarkevansteenderen.r-universe.dev>

RemoteUrl <https://github.com/clarkevansteenderen/thermalsampler>

RemoteRef HEAD

RemoteSha ce887c00457e1aeb281249b5264cd7f0515afc3a

Contents

boot_one	2
boot_two	3
coreid_data	4
equiv_tost	4
plot_one_group	5
plot_two_groups	6

Index	8
--------------	----------

boot_one	<i>Bootstrap sampling to calculate summary statistics of CTL values</i>
----------	---

Description

Calculate mean and CI's of CTL for a single population

Arguments

data	Data frame contains raw data. Must contain a column with a population identifier (e.g. population ID), and a column containing critical thermal limit data (e.g. temperatures at which critical limits are reached).
groups_col	Factor. Column containing name(s) of population(s) of interest
groups_which	Character. Which population should be analysed?
n_max	Numeric. Maximum sample size to extrapolate simulations.
n_min	Numeric. Minimum sample size to extrapolate simulations. Defaults to 3.
iter	Numeric. Number of bootstrap samples. Defaults to 29.
response	Numeric. Column containing thermal limit data for individual samples

Value

A data frame of CTL summary statistics from bootstrap resamples

Examples

```
head(coreid_data)
sims <- boot_one(data = coreid_data,
                 groups_col = col,
                 groups_which = "Catorhintha schaffneri-APM",
                 response = response,
                 n_max = 49,
                 iter = 99)
```

boot_two	<i>Bootstrap sampling for difference in means between two groups</i>
----------	--

Description

Calculate difference in mean CT limits between two groups.

Arguments

data	Data frame contain raw data.
groups_col	Factor. Column containing names of two populations to compare
n_max	Numeric. Maximum sample size to extrapolate simulations.
n_min	Numeric. Minimum sample size to extrapolate simulations. Defaults to 3.
iter	Numeric. Number of bootstrap samples. Defaults to 29.
response	Numeric. Column containing thermal limit data for individual samples.
group1	String. Name of first population to compare.
group2	String. Name of second population to compare.
colour_exp	Colour of the experimental data. Defaults to "blue".
colour_extrap	Colour of the extrapolated data. Defaults to "red".
legend.position	Position of the legend. Defaults to "top". Can be "bottom", "left", "right", or "none".
ggtheme	The theme for the ggplot created. See ggplot2 themes for options. Default set to theme_classic().

Value

A data frame of bootstrap resamples

Examples

```
head(coreid_data)
sims <- boot_two(data = coreid_data,
                 groups_col = col,
                 response = response,
                 group1 = "Catorhintha schaffneri_APM",
                 group2 = "Catorhintha schaffneri_NPM",
                 n_max = 49,
                 iter = 99)
```

coreid_data	<i>Example critical thermal limit data for ThermalSampleN package</i>
-------------	---

Description

A dataset containing critical thermal limit (CTmin) data for the sap-sucking bug, *Catorintha schaffneri*.

Usage

```
coreid_data
```

Format

A data frame with 60 rows and 2 variables:

col insect population tested, string

response CTmin value for individual insect, in degrees celsius ...

Source

"Unpublished data provided by Philippa Muskett (Centre for Biological Control, Rhodes University, South Africa)

equiv_tost	<i>equiv_tost</i>
------------	-------------------

Description

Perform a Test of Total Equivalence as adapted from Duffy et al. (2021) (<<https://doi.org/10.1111/1365-2435.13928>>)

Arguments

data	Data frame contains raw data. Must contain a column with a population identifier (e.g. population ID), and a column containing critical thermal limit data (e.g. temperatures at which critical limits are reached).
groups_col	Factor. Column containing the name of the population of interest (group ID)
groups_which	Character. Which population should be analysed?
response	Numeric. Column containing thermal limit data for individual samples
skews	Numeric. Vector containing skewness parameter(s). Defaults to 0, 1, 2, 10, 50.
equiv_margin	Numeric. Equivalence of subsets to full population CT estimate (unit = degree Celcius). Defaults to 1.
pop_n	Numeric. Size of population to sample (will test subsamples of size pop_n - x against pop_n for equivalence) Defaults to population size = 30
colrs	Character. Vector of colours for each skewness parameter value. E.g. if two skewness parameter values are set, choose two colours: colrs = c("blue", "red"). Defaults to "blue", "red", "orange", "forestgreen", "lightgrey".

Value

Two plots; (a) equivalence of means, and (b) equivalence of variances

Examples

```
head(coreid_data)
res <- equiv_tost(data = coreid_data,
                 groups_col = col,
                 groups_which = "Catorhintha schaffneri_APM",
                 response = response,
                 skews = c(1,10),
                 colrs = c("lightblue", "lightpink"),
                 equiv_margin = 1,
                 pop_n = 5)
```

plot_one_group	<i>Plot output from boot_sample</i>
----------------	-------------------------------------

Description

Plot output from boot_one.

Arguments

<code>x</code>	Output from boot_one function.
<code>n_max</code>	Numeric. Maximum sample size to extrapolate simulations.
<code>n_min</code>	Numeric. Minimum sample size to extrapolate simulations. Defaults to 3.
<code>colour_exp</code>	Colour of the experimental data. Defaults to "blue".
<code>colour_extrap</code>	Colour of the extrapolated data. Defaults to "red".
<code>legend.position</code>	Position of the legend. Defaults to "top". Can be "bottom", "left", "right", or "none".
<code>alpha_val</code>	Change the degree of shading of the graphs. Default is 0.2.
<code>ggtheme</code>	The theme for the ggplot created. See ggplot2 themes for options. Default set to theme_classic().

Value

Two plots; (a) precision of the CTmin estimate across experimental and extrapolated sample sizes; (b) the sampling distribution (range of plausible CTmin values) across experimental and extrapolated sample sizes.

Examples

```
sims <- boot_one(coreid_data,
                 groups_col = col,
                 groups_which = "Catorhintha schaffneri_APM",
                 n_max = 30,
                 response = response)
plot_one_group(x = sims,
               n_min = 3,
               n_max = 15,
               colour_exp = "darkblue",
               colour_extrap = "green",
               legend.position = "right")
```

plot_two_groups

Plot output from boot_two_groups

Description

Plot output from boot_two.

Arguments

x	Output from boot_two_groups function. Defaults to 'sims'.
n_max	Numeric. Maximum sample size to extrapolate simulations.
n_min	Numeric. Minimum sample size to extrapolate simulations. Defaults to 3.
colour_exp	Colour of the experimental data. Defaults to "blue".
colour_extrap	Colour of the extrapolated data. Defaults to "red".
legend.position	Position of the legend. Defaults to "top". Can be "bottom", "left", "right", or "none".
alpha_val	Change the degree of shading of the graphs. Default is 0.2.
ggtheme	The theme for the ggplot created. See ggplot2 themes for options. Default set to theme_classic().

Value

Two plots: (a) the precision of the estimates for the difference in CTmin between the two selected groups across sample sizes; (b) the 95

Examples

```
sims <- boot_two(data = coreid_data,  
                groups_col = col,  
                response = response,  
                group1 = "Catorhintha schaffneri_APM",  
                group2 = "Catorhintha schaffneri_NPM",  
                n_max = 30,  
                iter = 99)
```

```
plots <- plot_two_groups(x = sims,  
                        n_min = 3,  
                        n_max = 30,  
                        colour_exp = "gold",  
                        colour_extrap = "darkgreen",  
                        legend.position = "right")
```

Index

* datasets

coreid_data, 4

boot_one, 2

boot_two, 3

coreid_data, 4

equiv_tost, 4

plot_one_group, 5

plot_two_groups, 6